




**ALPRO**<sup>®</sup>

licensed by **BIRKENSTOCK**



***“True pros wear ALPRO”***

Collection  
**2010**  
made in Germany



### ***Welcome to ALPRO®!***

Treat yourself to a brand new feeling when walking! Whether you are on your feet the whole day at work or want a comfortable pair of shoes to slip into when you get home – ALPRO® sandals and clogs guarantee you'll feel great.

This is achieved through cushioned 'licensed by Birkenstock' footbeds, which adapt to the shape of your foot. Their anatomical form ensures that your feet have all the space they need to move freely, guaranteeing you safety and comfort throughout the day – wherever your feet take you.

Your ALPRO®-Team

# Contents

## Medical professions.....04

- Sandals & clogs with heel strap and antistatic models

## Occupations in ESD environments.....18

- Sandals & clogs with DIN-approved ESD protection

## Cooking & gastronomy..... 34

- Clogs with heel strap and super-grip soles

## Gastro service & catering..... 38

- Sandals & clogs with heel strap and Safe&Clean clogs with or without steel toecaps

## Food industry..... 44

- Safe&Clean clogs and clogs with heel strap

## Before, during and after work..... 50

- Light slippers with soft-footbed and garden clogs

## Knee protection..... 57

- Knee cushions and protectors

## Interesting facts

- The soft footbed..... 08
- The super-grip sole..... 16
- Quality „Made in Germany“..... 17
- The ESD DIN regulations.....21
- The EN ISO regulations on occupational footwear.....24
- Environmental protection at ALPRO®.....37

All ALPRO® sandals & clogs can be viewed at:

**[www.alpro.de](http://www.alpro.de)**

Several times a year, we also present our latest seasonal models in a downloadable catalogue.

We are happy to personally attend to all of your questions concerning ALPRO®. You can reach us from Monday to Friday from 7.30 a.m. to 4.30 p.m. on:

**+49 (0) 26 45/942 500**

### Medical professions 04



### Occupations in ESD environments 18



### Cooking & gastronomy 34



### Gastro service & catering 38



### Food industry 44



### Before, during and after work 50



*At work, it's important to be able to rely 100% on one's equipment. The same goes for the original cork footbed by ALPRO®: with its natural shape, it offers optimal protection and excellent comfort – from the heel all the way to the toe.*

**Heel strap**

ensures a safe grip in every situation.

**A deep heel recess**

keeps the foot firmly inside the footbed and ensures a reliable grip.

**The anti-slip sole**

is especially light and cushioning.



**Characteristics of the classic moulded sole:**

- especially light and cushioning
- cast, not punched: no staining on floors
- larger tread surface, improved standing properties
- slip resistant, tested by the TÜV (German Technical Inspection Association) in accordance with EN ISO 13287:2007, SRA

# *Sandals and clogs*

*with original cork footbed and tried-and-tested moulded sole*



***A soft footbed lining***

made of suede ensures excellent moisture absorption and regulates the temperature of the foot.

***Length- and widthways arch supports***

give the foot a sturdy grip on the bed and provide support when moving.

***The anatomic toe area***

offers enough space for your toes.



1.



2.



3.



4.



5.



6.

**1. C 165**

summer night blue • Birko-Flor

☞ 105 643 • size 36-42

**2. C 165**

white • Birko-Flor

☞ 105 133 • size 36-42

**3.C 165**

summer night black • Birko-Flor

☞ 105 653 • size 36-42

**4. C 165**

millefleur red • Birko-Flor

☞ 105 423 • size 36-42

**5. C 165**

letter mix rose • Birko-Flor

☞ 105 123 • size 36-42

**6. C 165**

break flower cream • Birko-Flor

☞ 105 833 • size 36-42



**7.**



**8.**



**9.**



**7. C 110**

white • leather

👣 583 033 • size 36-42

👣 583 031 • size 39-46

**8. C 100**

white • leather

👣 582 033 • size 36-42

👣 582 031 • size 39-46

**9. G 500**

white • leather

👣 584 033 • size 36-42

👣 584 031 • size 36-46

**Note:** thanks to the sliding heel strap, all C 165 clogs on the left-hand page can be worn as a slipper both during and after the working day.



# The ALPRO® soft footbed

*Slip on, get walking, feel great.*

The ALPRO® soft-footbed is truly unique – both in terms of its form and its function: especially for those working in medical and pharmaceutical professions, relieving support while moving around is absolutely essential. Here, three elements ensure soft cushioning and highly comfortable wearability.

- Footbed centre made of ALPRO® foam: millions of microscopic bubbles offer the best cushioning.
- Latex heel cushion has a shock-absorbing effect with every step.
- Suede lining on the sole creates a pleasantly soft feel.

Suede lining

Shock-absorbing  
heel cushion made of latex

Footbed centre made of  
ALPRO®-foam

Slip-resistant  
sole profile



Before physical strain.



During physical strain.



In motion.

## 1. P 180

white • Birko-Flor  
👣 110 333 • size 36-42

## 5. P 250

white • Birko-Flor  
👣 500 333 • size 36-42  
👣 500 331 • size 39-46





**1.**



**2.**



**3.**



**4.**



**5.**



**6.**



**7.**

**2. S 100**

white • Birko-Flor

☞ 500 433 • size 36-42

**3. P 100**

white • Birko-Flor

☞ 500 133 • size 36-42

**4. S 410**

white • Birko-Flor

☞ 500 233 • size 36-42

☞ 500 231 • size 39-46

**6. C 203**

white • leather

☞ 592 733 • size 36-42

☞ 592 731 • size 39-46

**7. C 211**

white • leather

☞ 599 733 • size 36-42

☞ 599 731 • size 39-46

## The ALPRO® ESD function

All ESD models by ALPRO® meet the specifications for professional ESD environments from  $10^5$  to  $3.4 \times 10^7$  ohm in accordance with DIN 61340.



1.



2.



3.



4.

### 1. P 100 ESD

white • Birko-Flor  
☞ 500 138 • size 36-42

### 2. P 250 ESD

white • Birko-Flor  
☞ 500 338 • size 36-42  
☞ 500 330 • size 39-46

### 3. S 100 ESD

white • Birko-Flor  
☞ 500 438 • size 36-42

### 4. S 410 ESD

white • Birko-Flor  
☞ 500 238 • size 36-42  
☞ 500 230 • size 39-46



**5.**



**6.**



**7.**



**8.**



**9.**

**5. P 220 ESD**

white • Birko-Flor

☞ 571 038 • ☞ 571 030

size 35-41

size 42-48

**8. C 130 ESD**

white • Birko-Flor breathable

☞ 575 038 • size 36-42

☞ 575 030 • size 39-48

**6. P 300 ESD**

white • Birko-Flor

☞ 578 138 • size 36-42

☞ 578 130 • size 39-46

**9. C 100 ESD**

white • Birko-Flor breathable

☞ 576 038 • size 36-42

☞ 576 030 • size 39-48

**7. S 440 ESD**

white • Birko-Flor

☞ 574 038 • ☞ 574 030

size 35-41

size 42-48

with sliding  
heel strap



1.

with sliding  
heel strap



2.



3.

### 1. C 115 ESD

white • leather

☞ 584 036 • ☞ 584 034

size 36-41

size 42-48

### 2. C 130 ESD

white • leather

☞ 575 138 • size 36-42

☞ 575 130 • size 39-48

### 3. C 100 ESD

white • leather


☞ 576 138 • size 36-42

☞ 576 130 • size 39-48

# The ALPRO® ESD models with soft bedding



## ESD soft bedding structure



## Work safely – with ALPRO® ESD models

With every step on carpets, electrostatic charges are created. Subsequent contact with patients, medical devices or conductive materials creates a sudden, jolting discharge. Sparks occur, the individual receives a brief 'shock' and transmits it further within the proximity.

ALPRO® ESD models help to prevent unpleasant electric shocks in a resistance range from  $10^5$  to  $3.4 \times 10^7$  ohm (in accordance with DIN 61340).

### 4. P 220 ESD WB

white • Birko-Flor • soft-footbed  
 ♂ 571 538 • ♀ 571 530  
 size 35-41  
 size 42-48

### 5. C 100 ESD WB

white • leather • soft-footbed  
 ♂ 576 188 • size 36-42  
 ♀ 576 180 • size 39-48



1.



2.



3.



4.



5.



6.

### 1. A 470 AS

green • ALPRO®-foam • antistatic

☞ 105 446 • size 35-40

• size 41-46

### 2. A 470 AS

blue • ALPRO®-foam • antistatic

☞ 105 426 • size 35-40

• size 41-46

### 3. A 470 AS

white • ALPRO®-foam • antistatic

☞ 105 136 • size 35-40

• size 41-46

### 4. A 650 AS

green • ALPRO®-foam • antistatic

☞ 030 262 • size 36-47

### 5. A 650 AS

blue • ALPRO®-foam • antistatic

☞ 030 252 • size 36-47

### 6. Replacement footbed

for A 650 AS • antistatic


☞ 018 872 • size 36-47

## *Antistatic clogs by ALPRO<sup>®</sup>*

When working in hospitals, laboratories and operating theatres, even the smallest discharge could have serious consequences. Antistatic clogs made of ALPRO<sup>®</sup> foam protect intensive care patients and sensitive operating theatre technology from such hazardous discharges.

Potential charges are gently dissipated and larger electrostatic pulses are prevented.

The A 470 AS antistatic models are equipped with an integrated anatomically moulded footbed which, like the whole clog, is made of flexible ALPRO<sup>®</sup>-foam.



# The Birkenstock® super-grip sole



## Characteristics of the original super-grip sole:

The super-grip sole consists of two components: a cushioning midsole made of EVA and an slip resistant rubber tread sole (DIN 13287:2007, SRC). Their pronounced profile is non-abrasive, long-lasting and resistant to oil and grease. These properties make the super-grip sole the perfect choice for daily use in hospitals, laboratories and operating theatres.



1.

with sliding heel straps



2.

### 1. C 115 SL

white • leather • super-grip

☞ 582 036 • ☞ 582 034

size 36-41

size. 42-48

### 2. C 100 SL

white • leather • super-grip

☞ 582 133 • size 36-42

☞ 582 131 • size 39-48

### 4. C 165 SL

white • Birko-Flor • super-grip

☞ 105 533 • size 36-42

### 3. G 500 SL

white • leather • super-grip

☞ 584 533 • size 36-42

☞ 584 531 • size 39-46

### 5. C 165 SL

millefleur red • Birko-Flor • super-grip

☞ 105 523 • size 36-42





## “Made in Germany”

*A mark of unbeatable quality*

All over the world, products manufactured in Germany are considered a reflection of excellent quality. This is immediately recognised through the ‘Made in Germany’ trademark.

For ALPRO®, ‘Made in Germany’ is both an obligation and a mark of distinction. Our sandals and clogs are produced exclusively in Germany, from the footbeds and upper materials right to the very buckles. Marketing, product development and sales activities are also organised here.

This is a huge geographical advantage! We are directly present on site to carry out quality controls, whilst being able to collaborate with partners in the constant development of our shoes together and ensure the high levels of quality you have come to expect from ALPRO®!

Concerning production activities in Germany, we take advantage of the latest technological advances and expertise of German engineers to guarantee we are always at the forefront. Thanks to this, many of our processes have been streamlined in the past few years to enhance efficiency. One example of this was the increase of production temperature, which enabled press processes to be doubled, thus leading to improved quality and compliance with the latest environmental standards.

*Working with sensitive high-frequency technology requires increased protective measures. In combination with the general ESD equipment in the workplace, the ALPRO® ESD models provide effective protection against unintentional electrostatic charges.*

**ESD Button**

as a mark of recognition for all ESD models.

**The deep heel recess**

keeps the foot firmly inside the footbed and ensures a reliable grip.

**Heel cushion**

made of latex – tested by TÜV Rheinland based on DIN EN ISO 19956:2004.



**Length- and widthways arch supports**

give the foot a sturdy grip on the bed and provide support when moving.



ESD is the international abbreviation for electrostatic discharge. ESD refers to the rapid transfer of an electric charge between conducting materials or people after an unnoticed build-up of charge.

ESD models by ALPRO® prevent this effect. They meet all requirements in the professional ESD sector from  $10^5$  to  $3.4 \times 10^7$  ohm in accordance with DIN 61340. Possible areas of use are working environments with sensitive high-frequency and semiconductor technology.

# The ALPRO<sup>®</sup> ESD models

## ***The soft footbed lining***

made of suede to ensure optimal moisture absorption.

## ***A toe grip / spreader***

encourages the gripping motion of the toes and boosts circulation.

## ***The footbed rim***

protects the toes and heel from bumps and bashes.

## ***A static inhibitor***

prevents electrostatic pulses and softly dissipates potential charges.

## New: ESD models with soft-footbed



### 1. P 100 ESD

black • Birko-Flor  
👣 500 148 • size 36-42

### 2. P 100 ESD

white • Birko-Flor  
👣 500 138 • size 36-42

### 3. P 100 ESD

blue • Birko-Flor  
👣 500 128 • size 36-42

### 4. S 100 ESD

black • Birko-Flor  
👣 500 448 • size 36-42

### 5. S 100 ESD

white • Birko-Flor  
👣 500 438 • size 36-42

### 6. S 100 ESD

blue • Birko-Flor  
👣 500 428 • size 36-42

# Top ESD protection!

## *The DIN specifications for ESD shoes*

### **ESD = electrostatic discharge**

ESD is the international abbreviation for electrostatic discharge. ESD creates a varying electrostatic charge between two objects in order to reinstate the electron balance. This often adopts the form of a spark or shock within the timeframe of a microsecond (visual electric arc).

For humans, this discharge can only be felt when it exceeds 3,000 volts. Nevertheless, 30 volts are enough to damage electronic components, and charges as low as five volts can cause serious damage or even destroy sensitive high-frequency and semiconductor products such as microchips and PCBs.

In other words: everyone who works on a daily basis with such sensitive components – and/or wants to protect themselves and others from unpleasant shocks – requires professional equipment to protect products and partners from hazardous discharges and to prevent components from being destroyed.

### **The ESD shoe in general**

ESD shoes in accordance with DIN EN 61340-5-1 provide protection in the recommended contact resistance range between  $10^5$  to  $3.5 \times 10^7$  ohm.

In order to ensure that ESD shoes are effective, special conductive flooring must be fitted correctly. Interaction between the various ground types and sole materials (polyurethane, ethylene-vinyl-acetate) should also be considered concerning electrostatic dissipation. Other influential factors for creating electrostatic charges include clothing (trousers, shirts, underwear, tights, etc.), type of touch and climate.

### **The ESD symbol**

ESD Susceptible defines components and modules which are at risk of electrostatic discharge.

### **ALPRO® ESD models are certified in accordance with DIN EN**

ALPRO® ESD sandals and clogs have been tested by TÜV Rheinland and fully comply with DIN EN 61340-5-1 in the recommended contact resistance range between  $10^5$  and  $3.4 \times 10^7$  ohm.





1.



2.



3.



4.



5.



6.

**1. P 250 ESD**

black • Birko-Flor

☞ 500 348 • size 36-42

☞ 500 340 • size 39-46

**2. P 250 ESD**

white • Birko-Flor

☞ 500 338 • size 36-42

☞ 500 330 • size 39-46

**3. P 250 ESD**

blue • Birko-Flor

☞ 500 328 • size 36-42

☞ 500 320 • size 39-46

**4. S 410 ESD**

black • Birko-Flor

☞ 500 248 • size 36-42

☞ 500 240 • size 39-46

**5. S 410 ESD**

white • Birko-Flor

☞ 500 238 • size 36-42

☞ 500 230 • size 39-46

**6. S 410 ESD**

blue • Birko-Flor


☞ 500 228 • size 36-42

☞ 500 220 • size 39-46

## The ALPRO® ESD function

All ESD models by ALPRO® meet the specifications for professional ESD environments from  $10^5$  to  $3.4 \times 10^7$  ohm in accordance with DIN 61340-5-1.

Electrical contact resistance  
ESD shoes as a primary measure in the shoe / floor system



ESD shoes in accordance with DIN EN 61340-5-1 provide protection in the recommended contact resistance range between  $10^5$  and  $3.4 \times 10^7$  ohm.

C = Conductive  
D = Dissipative  
S = Shielding



## Characteristics of the ESD soft-footbed



### **The anatomic form**

offers generous space for toes and feet, supports balance and nurtures healthy feet.

### **The integrated static inhibitor**

ensures permanent, gentle dissipation of electrostatic charges.

### **The pronounced footbed shape**

fits the natural form of the sole of the foot with a series of raised sections for extra support.

### **Flexible ALPRO®-foam**

used as a base material ensures comfortable, soft cushioning.

### **The deep heel recess**

keeps the foot firmly inside the footbed and ensures a natural grip.

# ***Double tested for unbeatable protection!***

*The DIN/EN ISO specifications for safety, protective and occupational footwear*

## ***The EN ISO specifications***

At the beginning of the 1990s, a series of uniform pan-European regulations for safety, protective and occupational footwear in the commercial sector were established. Based on the following regulations, TÜV Rheinland tests and approves ALPRO® models.

- EN ISO 20344: Requirements and test methods
- EN ISO 20345: Safety footwear specifications
- EN ISO 20346: Protective footwear specifications
- EN ISO 20347: Occupational footwear specifications

Occupational footwear refers to all shoes which have slip-resistant, antistatic or similar qualities. Generally speaking, occupational shoes are not equipped with any special toe protection.

Models with toe protection are grouped in the categories of protective footwear (e.g. plastic caps, test energy up to 100 joules) or safety footwear (steel toecaps, test energy up to 200 joules).

## ***Regulation classification***

- SB: Standard (refers to general basic requirements, open-heel models can also fall under this classification);
- S1: Standard safety footwear = SB + anti-static + energy absorption in heel area;
- S2: Standard safety footwear for wet areas;
- S3: Standard safety footwear for wet areas with puncture-resistant, profiled sole + closed heel area.

## ***ALPRO® models certified in accordance with EN ISO***

The Safe&Clean clog meets the EN ISO 20347:2007, SRC, E, OB specification.

ALPRO® soft and cork footbed soles are tested by TÜV Rheinland in accordance with EN ISO 13287:2007. This regulation specifies that at least one of the following three categories must be fulfilled:

- SRA – slip resistance on ceramic tiles with cleaning agent;
- SRB – slip resistance on steel floor with glycerol;
- SRC – slip resistance on ceramic tiles with cleaning agent and on steel floors with glycerol.

All ALPRO® sandals and clogs with soft footbed technology and the Safe& Clean clogs have passed the SRA, SRB and thus the SRC specifications. ALPRO® models with the original cork footbed meet the SRA category. ALPRO® models with super-grip sole also meet the requirements of the SRC category.

In short: with ALPRO®, you're guaranteed to be sure-footed!





1.



2.

## Vegan items

All ESD sandals on this page are vegan. They are produced without the use of leather or any other material derived from animals.



3.



4.



5.



A removable footbed made of cork and latex with fleece lining can be washed at up to 86°F.

### 1. P 210 ESD

navy • Birko-Flor nubuck  
☞ 596 020 • size 36-40  
• size 41-46

### 2. P 210 ESD

black • Birko-Flor  
☞ 596030 • size 36-40  
• size 41-46

### 3. S 400 ESD

navy • Birko-Flor nubuck  
☞ 595 020 • size 36-40  
• size 41-46

### 4. S 400 ESD

black • Birko-Flor  
☞ 595 030 • size 36-40  
• size 41-46

### 5. Replacement footbed

for P 210 ESD and S 400 ESD  
☞ 025 600 • size 36-40  
• size 41-46



1.



2.



3.



4.

**1. P 220 ESD**

black • Birko-Flor  
 ☞ 571 048 • ☞ 571 040  
 size 35-41  
 size 42-47

**2. P 220 ESD**

white • Birko-Flor  
 ☞ 571 038 • ☞ 571 030  
 size 35-41  
 size 42-47

**3. P 220 ESD**

blue • Birko-Flor  
 ☞ 571 058 • ☞ 571 050  
 size 35-41  
 size 42-47

**4. P 220 ESD**

basalt • Birko-Flor nubuck  
 ☞ 571 068 • ☞ 571 060  
 size 35-41  
 size 42-47

## Characteristics of the original ESD cork-footbed

### The anatomic form

offers generous space for toes and feet, supports balance and nurtures healthy feet.

### The integrated static inhibitor

ensures permanent, gentle dissipation of electrostatic charges.

### The pronounced footbed shape


fits the natural form of the sole of the foot with a series of raised sections for extra support.

### The cushioning cork centre

adapts perfectly to the sole of the foot.

### The deep heel recess

keeps the foot firmly inside the footbed and ensures a natural grip.



### 5. P 300 ESD

black • Birko-Flor

👣 578 148 • size 36-42

👣 578 140 • size 39-46

### 6. P 300 ESD

white • Birko-Flor

👣 578 138 • size 36-42

👣 578 130 • size 39-46

### 7. P 300 ESD

blue • Birko-Flor

👣 578 158 • size 36-42

👣 578 150 • size 39-46

## The perfect ESD model for everyone!

All ESD models by ALPRO® offer professional ESD protection in accordance with DIN 61340-5-1. You have a choice between:

- three cushioning footbed types: soft-footbed, original cork-footbed or cork soft-bedding;
- two sturdy upper materials: comfortable natural leather or soft Birko-Flor;
- two types of sole: the extra light original punched sole (EVA) or the pronounced form sole (ALPRO®-foam) of the soft footbed (profile depth > 2.5 mm).



### 1. S 440 ESD

black • Birko-Flor  
☞ 574 048 • ☞ 574 040  
size 35-41  
size 42-48

### 2. S 440 ESD

white • Birko-Flor  
☞ 574 038 • ☞ 574 030  
size 35-41  
size 42-48

### 3. S 440 ESD

blue • Birko-Flor  
☞ 574 058 • ☞ 574 050  
size 35-41  
size 42-48

### 4. S 440 ESD

basalt • Birko-Flor nubuck  
☞ 574 068 • ☞ 574 060  
size 35-41  
size 42-48



**5.**



**6.**



**7.**



**8.**



**9.**



**10.**

**5. C 130 ESD**

black • leather

☞ 575 148 • size 36-42

☞ 575 140 • size 39-48

**6. C 130 ESD**

white • leather

☞ 575 138 • size 36-42

☞ 575 130 • size 39-48

**7. C 130 ESD**

blue • leather

☞ 575 128 • size 36-42

☞ 575 120 • size 39-48

**8. C 100 ESD**

black • leather

☞ 576 148 • size 36-42

☞ 576 140 • size 39-48

**9. C 100 ESD**

white • leather

☞ 576 138 • size 36-42

☞ 576 130 • size 39-48

**10. C 100 ESD**

blue • leather

☞ 576 128 • size 36-42

☞ 576 120 • size 39-48

## The ALPRO® ESD models with soft-bedding


ESD sandals and clogs with cork soft-footbeddings offer protection against electrostatic discharge combined with pleasantly soft wearability through an elastic latex midsole directly on top of the cushioning cork-latex centre.



**The correct choice of length** is just as important as selecting the right width.




You should have a few millimetres' space at the heel and toe area.



Your toes and heel must not touch the raised footbed rim.

## ESD soft bedding structure



## Work safely – with ALPRO® ESD models

With every step, electrostatic charges are created. Subsequent contact with sensitive devices, conductive materials or other people creates a sudden, jolting discharge. The individual receives a brief 'shock' and transmits it further within the proximity.

ALPRO® ESD models help to prevent unpleasant electric shocks in a resistance range from  $10^5$  to  $3.4 \times 10^7$  ohm (in accordance with DIN 61340).



### 1. C 130 ESD WB

blue • leather • soft-bedding

👣 575 228 • size 36-42

👣 575 220 • size 39-48

### 2. P 220 ESD WB

black • Birko-Flor • soft-bedding

👣 571 148 • size 35-41

👣 571 140 • size 42-48

### 3. P 220 ESD WB

white • Birko-Flor • soft-bedding

👣 571 538 • size 35-41

👣 571 530 • size 42-48

### 4. C 100 ESD WB

black • leather • soft-bedding

👣 576 088 • size 36-42

👣 576 080 • size 39-48

### 5. C 100 ESD WB

white • leather • soft-bedding

👣 576 188 • size 36-42

👣 576 180 • size 39-48

### 6. C 100 ESD WB

blue • leather • soft-bedding

👣 576 288 • size 36-42

👣 576 280 • size 39-48



1.



2.



3.



4.



5.



6.

## Note:

All ESD clogs on this page have a special surface structure for foot temperature regulation in a carbon linear design.

### 1. C 130 ESD

black • Birko-Flor • breathable

👣 575 048 • size 36-42

👣 575 040 • size 39-48

### 3. C 130 ESD

navy • Birko-Flor • breathable

👣 575 028 • size 36-42

👣 575 020 • size 39-48

### 2. C 130 ESD

white • Birko-Flor • breathable

👣 575 038 • size 36-42

👣 575 030 • size 39-48


### 4. C 100 ESD

black • Birko-Flor • breathable

👣 576 048 • size 36-42

👣 576 040 • size 39-48





**7.**



**8.**

*with sliding  
heel straps*

*with sliding  
heel straps*



**5. C 100 ESD**

white • Birko-Flor • breathable

👣 576 038 • size 36-42

👣 576 030 • size 39-48

**6. C 100 ESD**

navy • Birko-Flor • breathable

👣 576 028 • size 36-42

👣 576 020 • size 39-48

**7. C 115 ESD**

white • leather

👣 584 036 • 👣 584 034

size 36-41

size 42-48

**8. C 115 ESD**

black • leather

👣 584 046 • 👣 584 044

size 36-41

size 42-48



### ***The super-grip sole***

cushions every step through the elastic EVA midsole, whilst the profiled rubber tread sole ensures reliable slip resistance.

### ***The high heel area***

prevents the foot from slipping out and ensures a sturdy grip.



### ***Characteristics of the original super-grip sole:***

The super-grip sole consists of two components: a cushioning midsole made of EVA and an anti-slip rubber tread sole (DIN 13287:2007, SRC). Their pronounced profile is non-abrasive, long-lasting and resistant to oil and grease. These properties make the super-grip sole the perfect choice for daily use in kitchens and the gastronomy sector.



# *The Birkenstock<sup>®</sup> super-grip sole*

## ***Length- and widthways arch supports***

give the foot a sturdy grip on the bed and encourage natural movement.

## ***The soft footbed lining***

made of suede ensures excellent moisture absorption and regulates the temperature of the foot.

## ***The anatomic toe area***

offers generous space for your toes.

## ***The toe lift***

eases the natural heel-to-toe motion.

## ***The midsole***

offers excellent cushioning for every step.





1.

*with sliding heel straps*



2.



3.



4.

## ***Guarantees you can step out safely!***

*The structure of the super-grip sole is based on the sandwich principle: a soft, elastic EVA midsole is fitted between the slip-resistant rubber tread sole (DIN 13287:2007, SRC) and the cushioning cork-latex footbed.*

### **1. C 115 SL**

black • leather • super-grip

☞ 582 046 • ☞ 582 044

size 36-41

size 42-48

### **2. C 100 SL**

black • leather • super-grip

☞ 582 143 • size 36-42

☞ 582 141 • size 39-48

### **4. G 500 SL**

black • leather • super-grip

☞ 584 543 • size 36-42

☞ 584 541 • size 39-46

## ***Comfort in two widths***



for thin,  
narrow feet



for normal and  
stouter feet

# *Our commitment to the environment*

## *Sustainable, environmentally friendly production methods*

Every ALPRO® model takes its inspiration from nature. All sandals and clogs are developed and produced based on anatomical considerations. During the complete production process, we work with the latest environmental standards. And have been doing so since well before the topic became so prolific.

Since the company was founded in 1993, we select our suppliers and producers based on a range of measures to protect the environment, including resource-friendly, CFC-free production methods, low-energy buildings, and warm water generation from photovoltaic systems.

All of this has helped us to reduce our energy consumption by over 95% in the last 15 years – our suppliers and production plants included.

In addition to this, all surplus ALPRO® foam and EVA materials left over from sole production are reused to construct children's play parks or sports centres, or as flooring or insulating material for noise protection, for instance.

What's more: all of our cardboard boxes and packaging materials are completely recycled. In order to achieve this along with all of our customers and stockists, we have signed a waste disposal contract with Interseroh (license number: 136 377). This guarantees the correct and sustainable disposal of all ALPRO® delivery and packaging materials.



Also worth a mention: our ALPRO® catalogue is printed on environmentally friendly PEFC paper. Paper marked with the PEFC logo was produced in complete harmony with the environment – its components are yielded exclusively from responsible, sustainable forestry. In such practices, the sensitive 'forest' ecosystem is encroached upon as little as possible. Nature is given enough time to regenerate and the forestry industry intervenes only when completely necessary. Simply following nature's example!

We guarantee you a production on all levels in accordance with the latest European environmental standards which count among the highest in the world. We are able to do this because we produce exclusively in Germany. We also choose new partners according to these benchmarks. Only those who fulfil our high demands may be involved in the manufacture of ALPRO® shoes. You can rely on this in the future, too!

*When purchasing sandals and clogs for use in kitchens, catering and gastronomy, please observe the guidelines provided by your employer and employer's liability insurance association.*

***Heel strap***

ensures a safe grip in every situation.

***The deep heel recess***

keeps the foot firmly inside the footbed and ensures a reliable grip.

***Heel cushion***

made of latex – tested by TÜV Rheinland based on DIN EN ISO 19956:2004.



***Characteristics of the soft footbed profile:***

- cushioning and flexible
- resistant and non-abrasive
- resistant to oil and grease
- slip-resistant, TÜV-tested in accordance with EN ISO 13287: 2007, SRC
- profile depth > 2.5 mm



# ALPRO<sup>®</sup> heel strap models

## **The soft footbed lining**

made of suede to ensure optimal moisture absorption.

## **Length- and widthways arch supports**

give the foot a sturdy grip on the bed and provide support when moving.

## **The toe grip / spreader**

encourages the gripping motion of the toes and boosts circulation.

## **The footbed rim**

protects the toes and heel from bumps and bashes.





1.



2.



3.



4.



5.



6.

**1. S 100**

geranium red • Birko-Flor  
☞ 500 453 • size 36-42

**2. S 100**

millefleur red • Birko-Flor  
☞ 500 023 • size 36-42

**3. S 100**

summer night black • Birko-Flor  
☞ 500 953 • size 36-42

**4. S 100**

summer night blue • Birko-Flor  
☞ 500 943 • size 36-42

**5. S 100**

black • Birko-Flor  
☞ 500 443 • size 36-42

**6. S 100**

break flower cream • Birko-Flor  
☞ 500 833 • size 36-42





7.



8.



9.



**7. S 100**

letter mix olive • Birko-Flor  
👣 500 733 • size 36-42

**8. S 100**

letter mix rose • Birko-Flor  
👣 500 723 • size 36-42

**9. S 410**

black • Birko-Flor  
👣 500 243 • size 36-42  
👣 500 241 • size 39-46



1.



2.



3.



4.



5.



**1. C 203**

black • ALPRO®-leather  
👣 592 743 • size 36-42  
👣 592 741 • size 39-46

**2. C 211**

black • ALPRO®-leather  
👣 599 743 • size 36-42  
👣 599 741 • size 39-46

**3. A 630** without steel toe cap

black • ALPRO®-foam  
👣 010 272 • size 36-47

**4. Replacement footbed**

for A 630 and A 640  
👣 018 852 • size 36-47

**5. A 640** with steel toe cap

black • ALPRO®-foam  
👣 020 272 • size 36-47

# Top temperature, top comfort

The C 110 model is equipped with an integrated 'air conditioning system': a series of tiny holes in the upper material regulate the temperature of the foot and ensure excellent ventilation.



6.



7.



8.



9.

## 6. C 100

black • ALPRO®-leather

👣 582 043 • size 36-42

👣 582 041 • size 39-46

## 8. C 165

black • Birko-Flor

👣 105 443 • size 36-42

## 7. C 110

black • ALPRO®-leather

👣 583 043 • size 36-42

👣 583 041 • size 39-46

## 9. G 500

black • ALPRO®-leather

👣 584 043 • size 36-42

👣 584 041 • size 39-46

## Comfort in two widths



for thin,  
narrow feet



for normal and  
stouter feet



### ***The soft footbed lining***


made of suede ensures excellent moisture absorption and regulates the temperature of the foot.

### ***The high heel area***

prevents the foot from sliding out and creates a firm grip inside the clog.

### ***The deep heel recess***

keeps the foot firmly inside the footbed and ensures a reliable grip.



*Due to their being washable (up to 149°F) and their comprehensive protection, ALPRO®-foam clogs are an indispensable part of every-day life in the kitchen and food industry.*

# ***ALPRO***<sup>®</sup>-foam clogs



***The smooth surface***

prevents the absorption of liquids, oil, grease and chemicals.

***Steel toecap (A640)***

protects the foot from falling objects.

***The pronounced profile***

offers a firm, slip-resistant hold when walking and standing – even on steel floors and ceramic tiles.



**1. A 630** without steel toe cap  
blue • ALPRO®-foam  
☞ 010 252 • size 36-47

**4. Replacement footbed**  
for A 630 and A 640  
☞ 018 852 • size 36-47

**7. A 640** with steel toe cap  
green • ALPRO®-foam  
☞ 020 262 • size 36-47

**2. A 630** without steel toe cap  
black • ALPRO®-foam  
☞ 010 272 • size 36-47

**5. A 640** with steel toe cap  
blue • ALPRO®-Schaum  
☞ 020 252 • size 36-47

**8. A 640** with steel toe cap (no Image)  
black • ALPRO®-foam  
☞ 020 272 • size 36-47

**3. A 630** without steel toe cap  
white • ALPRO®-foam  
☞ 010 292 • size 36-47

**6. A 640** with steel toe cap  
white • ALPRO®-foam  
☞ 020 292 • size 36-47



***A 640 with steel toecaps***

*The complete protection against falling objects – without foregoing comfort and optimal cushioning.*



## Comfort in two widths



for thin,  
narrow feet



for normal and  
stouter feet

### 1. C 203

white • ALPRO®-leather  
 👤 592 733 • size 36-42  
 👤 592 731 • size 39-46

### 2. C 211

white • ALPRO®-leather  
 👤 599 733 • size 36-42  
 👤 599 731 • size 39-46

### 3. C 115 SL

white • ALPRO®-leather • super grip  
 👤 582 036 • 👤 582 034  
 size 36-41  
 size 42-48





4.



5.



6.



7.



8.



9.

**4. C 100**

white • leather

👣 582 033 • size 36-42

👣 582 031 • size 39-46

**5. C 100 SL**

white • leather • super-grip

👣 582 133 • size 36-42

👣 582 131 • size 39-48

**6. C 165**

white • Birko-Flor

👣 105 133 • size 36-42

**7. C 165 SL**

white • Birko-Flor • super-grip

👣 105 533 • size 36-42

**8. G 500**

white • leather

👣 584 033 • size 36-42

👣 584 031 • size 39-46

**9. G 500 SL**

white • leather • super-grip

👣 584 533 • size 36-42

👣 584 531 • size 39-46

*Treat yourself and your feet to comfortable relief and soft relaxation before, during and after work – ALPRO® slippers with soft-footbed are comfortably soft right from the very first step.*

***The deep heel recess***

keeps the foot firmly inside the footbed and ensures a reliable grip.

***Heel cushion***

made of latex – tested by TÜV Rheinland based on DIN EN ISO 19956:2004.

***Length- and widthways arch supports***

give the foot a sturdy grip on the bed and encourage natural movement.



The ALPRO® soft-footbed is truly unique! Its form and function offer comfortable support for natural movement. Three elements ensure unlimited comfort and optimal cushioning.

- **Footbed centre made of ALPRO®-foam:** millions of microscopic bubbles offer the best cushioning.
- **Latex heel cushion** has a **shock-absorbing effect** with every step.
- **Suede lining** on the sole creates a pleasantly soft feel.

# Comfortable ALPRO® slippers for before, during and after work

with the flexible, anatomically formed soft-footbed



**The soft footbed lining**

made of suede ensures excellent moisture absorption and regulates the temperature of the foot.

**The toe grip / spreader**

encourages the gripping motion of the toes and boosts circulation.

**The footbed rim**

protects the toes and heel from bumps and bashes.

**The anti-slip sole**

is especially light and cushioning.



## The ALPRO® soft-footbed

Form and function combine in the ALPRO® soft-footbed to ensure unlimited comfort – before, during and after work, right from the very first step.



1.



2.



3.



4.



5.



6.

### 1. P 100

black • Birko-Flor  
☞ 500 143 • size 36-42

### 2. P 100

millefleur red • Birko-Flor  
☞ 265 423 • size 36-42

### 3. P 100

summer night blue • Birko-Flor  
☞ 265 543 • size 36-42

### 4. P 100

summer night black • Birko-Flor  
☞ 265 553 • size 36-42

### 5. P 100

geranium red • Birko-Flor  
☞ 500 153 • size 36-42

### 6. P 100

break flower cream • Birko-Flor  
☞ 265 833 • size 36-42



**7. P 100**

dark brown • Birko-Flor  
☞ 510 193 • size 36-42

**8. P 100**

letter mix olive • Birko-Flor  
☞ 265 733 • size 36-42

**9. P 100**

letter mix rose • Birko-Flor  
☞ 265 723 • size 36-42



1.



2.



3.



4.



5.



6.



7.



8.

**1. P 180**

black • Birko-Flor  
☞ 110 343 • size 36-42

**4. P 180**

summer night black • Birko-Flor  
☞ 110 553 • size 36-42

**7. P 250**

summer night blue • Birko-Flor  
☞ 267 643 • size 36-42

**2. P 180**

dark brown • Birko-Flor  
☞ 110 323 • size 36-42

**5. P 180**

break flower cream • Birko-Flor  
☞ 110 833 • size 36-42

**8. P 250**

summer night black • Birko-Flor  
☞ 267 653 • size 36-42

**3. P 180**

summer night blue • Birko-Flor  
☞ 110 543 • size 36-42

**6. P 250**

break flower cream • Birko-Flor  
☞ 266 833 • size 36-42



9.



10.



11.



12.



13.



14.

**9. P 250**

taupe • Birko-Flor suede

☞ 500 373 • size 36-42

☞ 500 371 • size 39-46

**10. P 250**

mocha • Birko-Flor suede

☞ 500 643 • size 36-42

☞ 500 641 • size 39-46

**11. P 250**

letter mix rose • Birko-Flor

☞ 266 723 • size 36-42

**12. P 250**

letter mix olive • Birko-Flor

☞ 266 733 • size 36-42

☞ 266 731 • size 39-46

**13. P 250**

blue • Birko-Flor

☞ 500 323 • size 36-42

☞ 500 321 • size 39-46

**14. P 250**

black • Birko-Flor

☞ 500 343 • size 36-42

☞ 500 341 • size 39-46



1.



2.



3.



4.



5.



6.

**1. P 250**

geranium red • Birko-Flor

☞ 500 553 • size 36-42

**2. P 250**

dark brown • Birko-Flor

☞ 510 393 • size 36-42

☞ 510 391 • size 39-46

**3. S 410**

dark brown • Birko-Flor

☞ 510 293 • size 36-42

☞ 510 291 • size 39-46

**4. S 100**

black • Birko-Flor

☞ 500 443 • size 36-42

**5. A 630** without steel toe cap

green • ALPRO®-foam

☞ 010 262 • size 36-47

**6. A 630** without steel toe cap

brown • ALPRO®-foam

☞ 010 282 • size 36-47



# *Knee protection*

Knee protectors and knee cushions by ALPRO® disperse topical pressure and facilitate tasks carried out when kneeling. ALPRO® knee protectors were developed in collaboration with the association of commercial and industrial workers' compensation insurance carriers.



**6.**



**7.**



**8.**

## **6. Replacement velcro strips**

black • for knee protectors  
020 203

## **7. ALPRO®-knee protectors**

red • ALPRO®-foam  
020 201

## **8. ALPRO®-knee cushion**

red • ALPRO®-foam  
020 202 • normal  
020 200 • broad

# Item schedule



**C 165**  
summer night blue • Birko-Flor  
👣 105 643 • size 36-42



**C 165**  
summer night black • Birko-Flor  
👣 105 653 • size 36-42



**C 165**  
letter mix rose • Birko-Flor  
👣 105 123 • size 36-42



**C 165**  
break flower cream • Birko-Flor  
👣 105 833 • size 36-42



**C 165**  
millefleur red • Birko-Flor  
👣 105 423 • size 36-42



**C 165**  
black • Birko-Flor  
👣 105 443 • size 36-42



**C 165**  
white • Birko-Flor  
👣 105 133 • size 36-42



**C 110**  
black • leather  
👣 583 043 • size 36-42  
👣 583 041 • size 39-46



**C 110**  
white • leather  
👣 583 033 • size 36-42  
👣 583 031 • size 39-46



**C 100**  
black • leather  
👣 582 043 • size 36-42  
👣 582 041 • size 39-46



**C 100**  
white • leather  
👣 582 033 • size 36-42  
👣 582 031 • size 39-46



**G 500**  
black • leather  
👣 584 043 • size 36-42  
👣 584 041 • size 39-46



**G 500**  
white • leather  
👣 584 033 • size 36-42  
👣 584 031 • size 39-46



**C 115 SL**  
black • leather • super-grip  
👣 582 046 • size 36-48  
👣 582 044 • size 36-48



**C 115 SL**  
white • leather • super-grip  
👣 582 036 • size 36-48  
👣 582 034 • size 36-48



**C 100 SL**  
black • leather • super-grip  
👣 582 143 • size 36-42  
👣 582 141 • size 39-48



**C 100 SL**  
white • leather • super-grip  
👣 582 133 • size 36-42  
👣 582 131 • size 39-48



**C 165 SL**  
black • Birko-Flor • super-grip  
👣 105 433 • size 36-42



**C 165 SL**  
white • Birko-Flor • super-grip  
👣 105 533 • Gr: 36-42



**C 165 SL** super-grip  
millefleur red • Birko-Flor  
👣 105 523 • size 36-42



**G 500 SL**

black • leather • super-grip  
584 543 • size 36-42  
584 541 • size 39-46



**G 500 SL**

white • leather • super-grip  
584 533 • size 36-42  
584 531 • size 39-46



**P 220 ESD**

black • Birko-Flor  
571 048 • size 35-48  
571 040 • size 35-48



**P 220 ESD**

white • Birko-Flor  
571 038 • size 35-48  
571 030 • size 35-48



**P 220 ESD**

blue • Birko-Flor  
571 058 • size 35-48  
571 050 • size 35-48



**P 220 ESD**

basalt • Birko-Flor nubuck  
571 068 • size 35-48  
571 060 • size 35-48



**P 300 ESD**

black • Birko-Flor  
578 148 • size 36-42  
578 140 • size 39-46



**P 300 ESD**

white • Birko-Flor  
578 138 • size 36-42  
578 130 • size 39-46



**P 300 ESD**

blue • Birko-Flor  
578 158 • size 36-42  
578 150 • size 39-46



**S 440 ESD**

black • Birko-Flor  
574 048 • size 35-48  
574 040 • size 35-48



**S 440 ESD**

white • Birko-Flor  
574 038 • size 35-48  
574 030 • size 35-48



**S 440 ESD**

blue • Birko-Flor  
574 058 • size 35-48  
574 050 • size 35-48



**S 440 ESD**

basalt • Birko-Flor nubuck  
574 068 • size 35-48  
574 060 • size 35-48



**C 130 ESD**

black • Birko-Flor breathable  
575 048 • size 36-42  
575 040 • size 39-48



**C 130 ESD**

white • Birko-Flor breathable  
575 038 • size 36-42  
575 030 • size 39-48



**C 130 ESD**

navy • Birko-Flor breathable  
575 028 • size 36-42  
575 020 • size 39-48



**C 100 ESD**

black • Birko-Flor breathable  
576 048 • size 36-42  
576 040 • size 39-48



**C 100 ESD**

white • Birko-Flor breathable  
576 038 • size 36-42  
576 030 • size 39-48



**C 100 ESD**

navy • Birko-Flor breathable  
576 028 • size 36-42  
576 020 • size 39-48



**C 115 ESD**

black • leather  
584 046 • size 36-48  
584 044 • size 36-48



**C 115 ESD**

white • leather  
584 036 • size 36-48  
584 034 • size 36-48



**C 130 ESD**

black • leather  
575 148 • size 36-42  
575 140 • size 39-48



**C 130 ESD**

white • leather  
575 138 • size 36-42  
575 130 • size 39-48



**C 130 ESD**

blue • leather  
575 128 • size 36-42  
575 120 • size 39-48



**C 100 ESD**

black • leather  
576 148 • size 36-42  
576 140 • size 39-48



**C 100 ESD**

white • leather

576 138 • size 36-42  
576 130 • size 39-48



**C 100 ESD**

blue • leather

576 128 • size 36-42  
576 120 • size 39-48



**P 220 ESD WB**

black • Birko-Flor • soft-bedding

571 148 • size 35-48  
571 140 • size 35-48



**P 220 ESD WB**

white • Birko-Flor • soft-bedding

571 538 • size 35-48  
571 530 • size 35-48



**C 130 ESD WB**

blue • leather • WB

575 228 • size 36-42  
575 220 • size 39-48



**C 100 ESD WB**

black • leather • soft-bedding

576 088 • size 36-42  
576 080 • size 39-48



**C 100 ESD WB**

white • leather • soft-bedding

576 188 • size 36-42  
576 180 • size 39-48



**C 100 ESD WB**

blue • leather • soft-bedding

576 288 • size 36-42  
576 280 • size 39-48



**P 100 ESD**

black • Birko-Flor

500 148 • size 36-42



**P 100 ESD**

white • Birko-Flor

500 138 • size 36-42



**P 100 ESD**

blue • Birko-Flor

500 128 • size 36-42



**S 100 ESD**

black • Birko-Flor

500 448 • size 36-42



**S 100 ESD**

white • Birko-Flor

500 438 • size 36-42



**S 100 ESD**

blue • Birko-Flor

500 428 • size 36-42



**P 250 ESD**

black • Birko-Flor

500 348 • size 36-42  
500 340 • size 39-46



**P 250 ESD**

white • Birko-Flor

500 338 • size 36-42  
500 330 • size 39-46



**P 250 ESD**

blue • Birko-Flor

500 328 • size 36-42  
500 320 • size 39-46



**S 410 ESD**

black • Birko-Flor

500 248 • size 36-42  
500 240 • size 39-46



**S 410 ESD**

white • Birko-Flor

500 238 • size 36-42  
500 230 • size 39-46



**S 410 ESD**

blue • Birko-Flor

500 228 • size 36-42  
500 220 • size 39-46



**P 210 ESD**

navy • Birko-Flor nubuck

596 020 • size 36-46



**P 210 ESD**

black • Birko-Flor

596 030 • size 36-46



**S 400 ESD**

navy • Birko-Flor nubuck

595 020 • size 36-46



**S 400 ESD**

black • Birko-Flor

595 030 • size 36-46



**Replacement footbed**

for P 210 ESD and S 400 ESD

025 600 • size 36-46



**P 180**

summer night black • Birko-Flor  
☞ 110 553 • size 36-42



**P 180**

summer night blue • Birko-Flor  
☞ 110 543 • size 36-42



**P 180**

break flower cream • Birko-Flor  
☞ 110 833 • size 36-42



**P 180**

black • Birko-Flor  
☞ 110 343 • size 36-42



**P 180**

white • Birko-Flor  
☞ 110 333 • size 36-42



**P 180**

dark brown • Birko-Flor  
☞ 110 323 • size 36-42



**P 100**

summer night black • Birko-Flor  
☞ 265 553 • size 36-42



**P 100**

summer night blue • Birko-Flor  
☞ 265 543 • size 36-42



**P 100**

geranium red • Birko-Flor  
☞ 500 153 • size 36-42



**P 100**

letter mix olive • Birko-Flor  
☞ 265 733 • size 36-42



**P 100**

letter mix rose • Birko-Flor  
☞ 265 723 • size 36-42



**P 100**

millefleur red • Birko-Flor  
☞ 265 423 • size 36-42



**P 100**

break flower cream • Birko-Flor  
☞ 265 833 • size 36-42



**P 100**

black • Birko-Flor  
☞ 500 143 • size 36-42



**P 100**

white • Birko-Flor  
☞ 500 133 • size 36-42



**S 100**

dark brown • Birko-Flor  
☞ 510 193 • size 36-42



**S 100**

summer night black • Birko-Flor  
☞ 500 953 • size 36-42



**S 100**

summer night blue • Birko-Flor  
☞ 500 943 • size 36-42



**S 100**

geranium red • Birko-Flor  
☞ 500 453 • size 36-42



**S 100**

letter mix olive • Birko-Flor  
☞ 500 733 • size 36-42



**S 100**

letter mix rose • Birko-Flor  
☞ 500 723 • size 36-42



**S 100**

millefleur red • Birko-Flor  
☞ 500 023 • size 36-42



**S 100**

break flower cream • Birko-Flor  
☞ 500 833 • size 36-42



**S 100**

black • Birko-Flor  
☞ 500 443 • size 36-42



**S 100**

white • Birko-Flor  
☞ 500 433 • size 36-42



**P 250**  
summer night black • Birko-Flor  
☞ 267 653 • size 36-42



**P 250**  
summer night blue • Birko-Flor  
☞ 267 643 • size 36-42



**P 250**  
geranium red • Birko-Flor  
☞ 500 553 • size 36-42



**P 250**  
letter mix olive • Birko-Flor  
☞ 266 733 • size 36-42  
☞ 266 731 • size 39-46



**P 250**  
letter mix rose • Birko-Flor  
☞ 266 723 • size 36-42



**P 250**  
break flower cream • Birko-Flor  
☞ 266 833 • size 36-42



**P 250**  
taupe • Birko-Flor suede  
☞ 500 373 • size 36-42  
☞ 500 371 • size 39-46



**P 250**  
mocha • Birko-Flor suede  
☞ 500 643 • size 36-42  
☞ 500 641 • size 39-46



**P 250**  
black • Birko-Flor  
☞ 500 343 • size 36-42  
☞ 500 341 • size 39-46



**P 250**  
white • Birko-Flor  
☞ 500 333 • size 36-42  
☞ 500 331 • size 39-46



**P 250**  
blue • Birko-Flor  
☞ 500 323 • size 36-42  
☞ 500 321 • size 39-46



**P 250**  
dark brown • Birko-Flor  
☞ 510 393 • size 36-42  
☞ 510 391 • size 39-46



**S 410**  
black • Birko-Flor  
☞ 500 243 • size 36-42  
☞ 500 241 • size 39-46



**S 410**  
white • Birko-Flor  
☞ 500 233 • size 36-42  
☞ 500 231 • size 39-46



**S 410**  
dark brown • Birko-Flor  
☞ 510 293 • size 36-42  
☞ 510 291 • size 39-46



**C 203**  
black • ALPRO®-leather  
☞ 592 743 • size 36-42  
☞ 592 741 • size 39-46




**C 203**  
white • ALPRO®-leather  
☞ 592 733 • size 36-42  
☞ 592 731 • size 39-46



**C 211**  
black • ALPRO®-leather  
☞ 599 743 • size 36-42  
☞ 599 741 • size 39-46



**C 211**  
white • ALPRO®-leather  
☞ 599 733 • size 36-42  
☞ 599 731 • size 39-46



**A 470 AS** antistatic  
green • ALPRO®-foam  
☞ 105 446 • size 35-46



**A 470 AS** antistatic  
blue • ALPRO®-foam  
☞ 105 426 • size 35-46



**A 470 AS** antistatic  
white • ALPRO®-foam  
☞ 105 136 • size 35-46



**A 650 AS** antistatic  
green • ALPRO®-foam  
☞ 030 262 • size 36-47



**A 650 AS** antistatic  
blue • ALPRO®-foam  
☞ 030 252 • size 36-47



**Replacement footbed**  
for A 650 AS • antistatic  
☞ 018 872 • size 36-47



**A 630**

black • ALPRO<sup>®</sup>-foam  
☞ 010 272 • size 36-47



**A 630**

white • ALPRO<sup>®</sup>-foam  
☞ 010 292 • size 36-47



**A 630**

blue • ALPRO<sup>®</sup>-foam  
☞ 010 252 • size 36-47



**A 630**

green • ALPRO<sup>®</sup>-foam  
☞ 010 262 • size 36-47



**A 630**

brown • ALPRO<sup>®</sup>-foam  
☞ 010 282 • size 36-47



**A 640** with steel toe cap

black • ALPRO<sup>®</sup>-foam  
☞ 020 272 • size 36-47



**A 640** with steel toe cap

white • ALPRO<sup>®</sup>-foam  
☞ 020 292 • size 36-47



**A 640** with steel toe cap

blue • ALPRO<sup>®</sup>-foam  
☞ 020 252 • size 36-47



**A 640** with steel toe cap

green • ALPRO<sup>®</sup>-foam  
☞ 020 262 • size 36-47



**Replaceable footbed**

for A 630 and A 640  
☞ 018 852 • size 36-47



**Knee protectors**

red • ALPRO<sup>®</sup>-foam  
020 201



**Knee cushion**

red • ALPRO<sup>®</sup>-foam  
020 202 • normal  
020 200 • broad



**Replacement  
Velcro straps**

for the knee protectors  
020 203





licensed by **BIRKENSTOCK**

ALPRO GmbH  
Rheinstr. 2-4  
53560 Vettelschoß  
Germany

Tel.: +49 (0) 2645/942 500  
Fax: +49 (0) 2645/942 501

info@alpro.de  
www.alpro.de



PEFC/04-31-0902



4 011526 596409

Your qualified dealer with the friendly service.